

LAND APPLICATION SITE

GILL J. COFFEE

LUGJC 1-4

LUNENBURG COUNTY

**VIRGINIA POLLUTION ABATEMENT PERMIT APPLICATION
FORM D: MUNICIPAL EFFLUENT AND BIOSOLIDS**

PART D-VI: LAND APPLICATION AGREEMENT - BIOSOLIDS AND INDUSTRIAL RESIDUALS

A. This land application agreement is made on 4/2/2019 between Joseph Gill Coffey referred to here as "Landowner", and Recyc Systems, Inc. referred to here as the "Permittee". This agreement remains in effect until it is terminated in writing by either party or, with respect to those parcels that are retained by the Landowner in the event of a sale of one or more parcels, until ownership of all parcels changes. If ownership of individual parcels identified in this agreement changes, those parcels for which ownership has changed will no longer be authorized to receive biosolids or industrial residuals under this agreement.

Landowner:

The Landowner is the owner of record of the real property located in Lunenburg, Virginia, which includes the agricultural, silvicultural or reclamation sites identified below in Table 1 and identified on the tax map(s) with county documentation identifying owners, attached as Exhibit A.

Table 1.: Parcels authorized to receive biosolids, water treatment residuals or other industrial sludges			
Tax Parcel ID	Tax Parcel ID	Tax Parcel ID	Tax Parcel ID
	<u>39-A-29</u>		

☐ Additional parcels containing Land Application Sites are identified on Supplement A (check if applicable)

Check one: ☒ The Landowner is the sole owner of the properties identified herein.
☐ The Landowner is one of multiple owners of the properties identified herein.


In the event that the Landowner sells or transfers all or part of the property to which biosolids have been applied within 38 months of the latest date of biosolids application, the Landowner shall:

1. Notify the purchaser or transferee of the applicable public access and crop management restrictions no later than the date of the property transfer; and
2. Notify the Permittee of the sale within two weeks following property transfer.

The Landowner has no other agreements for land application on the fields identified herein. The Landowner will notify the Permittee immediately if conditions change such that the fields are no longer available to the Permittee for application or any part of this agreement becomes invalid or the information herein contained becomes incorrect.

The Landowner hereby grants permission to the Permittee to land apply residuals as specified below, on the agricultural sites identified above and in Exhibit A. The Landowner also grants permission for DEQ staff to conduct inspections on the land identified above, before, during or after land application of permitted residuals for the purpose of determining compliance with regulatory requirements applicable to such application.


Class B biosolids Water treatment residuals Food processing waste Other industrial sludges
☒ Yes ☐ No ☒ Yes ☐ No ☒ Yes ☐ No ☒ Yes ☐ No

Printed name <u>Joseph Gill Coffey</u>	Mailing Address <u>2235 Fletcher Chapel Rd</u>	Landowner Signature 
By: <u>self</u>	<u>Kenbridge VA 23944</u>	
Title* <u>Local Owner</u>	Phone No. <u>434 955 0567</u>	
<input type="checkbox"/> I certify that I have authority to sign for the landowner as indicated by my title as executor, Trustee or Power of Attorney, etc. <input type="checkbox"/> I certify that I am a responsible official (or officer) authorized to act on behalf of the following corporation, partnership, proprietorship, LLC, municipality, state or federal agency, etc.		

Permittee:

Recyc Systems, Inc., the Permittee, agrees to apply biosolids and/or industrial residuals on the Landowner's land in the manner authorized by the VPA Permit Regulation and in amounts not to exceed the rates identified in the nutrient management plan prepared for each land application field by a person certified in accordance with §10.1-104.2 of the Code of Virginia.

The Permittee agrees to notify the Landowner or the Landowner's designee of the proposed schedule for land application and specifically prior to any particular application to the Landowner's land. Notice shall include the source of residuals to be applied.

Printed name <u>Susan Trumbo</u>	Mailing Address <u>PO Box 562, Ramington Virginia 22734</u>	Permittee- Authorized Representative Signature 
Title <u>Technical Manager</u>	Phone No. <u>540-547-3300</u>	

Permittee: Recyc Systems, Inc

County or City: humburg

Landowner: Joseph Bill Coffee

Landowner Site Management Requirements:

I, the Landowner, I have received a DEQ Biosolids Fact Sheet that includes information regarding regulations governing the land application of biosolids, the components of biosolids and proper handling and land application of biosolids.

I have also been expressly advised by the Permittee that the site management requirements and site access restrictions identified below must be complied with after biosolids have been applied on my property in order to protect public health, and that I am responsible for the implementation of these practices.

I agree to implement the following site management practices at each site under my ownership following the land application of biosolids at the site:

1. Notification Signs: I will not remove any signs posted by the Permittee for the purpose of identifying my field as a biosolids land application site, unless requested by the Permittee, until at least 30 days after land application at that site is completed.
2. Public Access
 - a. Public access to land with a high potential for public exposure shall be restricted for at least one year following any application of biosolids.
 - b. Public access to land with a low potential for public exposure shall be restricted for at least 30 days following any application of biosolids. No biosolids amended soil shall be excavated or removed from the site during this same period of time unless adequate provisions are made to prevent public exposure to soil, dusts or aerosols;
 - c. Turf grown on land where biosolids are applied shall not be harvested for one year after application of biosolids when the harvested turf is placed on either land with a high potential for public exposure or a lawn, unless otherwise specified by DEQ.
3. Crop Restrictions:
 - a. Food crops with harvested parts that touch the biosolids/soil mixture and are totally above the land surface shall not be harvested for 14 months after the application of biosolids.
 - b. Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after the application of biosolids when the biosolids remain on the land surface for a time period of four (4) or more months prior to incorporation into the soil,
 - c. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months when the biosolids remain on the land surface for a time period of less than four (4) months prior to incorporation.
 - d. Other food crops and fiber crops shall not be harvested for 30 days after the application of biosolids;
 - e. Feed crops shall not be harvested for 30 days after the application of biosolids (60 days if fed to lactating dairy animals).
4. Livestock Access Restrictions:

Following biosolids application to pasture or hayland sites:

 - a. Meat producing livestock shall not be grazed for 30 days,
 - b. Lactating dairy animals shall not be grazed for a minimum of 60 days.
 - c. Other animals shall be restricted from grazing for 30 days;
5. Supplemental commercial fertilizer or manure applications will be coordinated with the biosolids and industrial residuals applications such that the total crop needs for nutrients are not exceeded as identified in the nutrient management plan developed by a person certified in accordance with §10.1-104.2 of the Code of Virginia;
6. Tobacco, because it has been shown to accumulate cadmium, should not be grown on the Landowner's land for three years following the application of biosolids or industrial residuals which bear cadmium equal to or exceeding 0.45 pounds/acre (0.5 kilograms/hectare).

Joseph Bill Coffee
Landowner's Signature

1-12-21
Date

Joseph Bill Coffee
Operator's Signature

2255 Fletcher Chapel
mailing address & phone

1-12-21
Date

Landowner Coordination Form

Signature not required on this page

[illegible]

Gill J. Coffee Site

Lunenburg County

William and Kathy Coffee

2255 Fletcher Chapel Road

Kenbridge, VA 23944

434-676-3785

The Gussie Woolfolk Abernathy Revocable Trust

Jean A. Turner, Trustee

2530 Fletcher Chapel Road

Kenbridge, VA 23944

434-676-8384

FARM DATA SHEET

SITE NAME:	Gill J. Coffee	COUNTY:	Lunenburg
OWNER:	See attached	OPERATOR:	Gill J. Coffee
OWNER'S ADDRESS:		OPERATOR'S ADDRESS:	1716 5 th Street Victoria, VA 23974
OWNER'S TELEPHONE:		OPERATOR'S TELEPHONE:	434-955-0567
GENERAL FARM TYPE:	crop	CELL PHONE:	
# CATTLE:		EMAIL:	
LAGOON or SLURRY:	none	LATITUDE/ LONGITUDE: 1-4	36° 58' 40" 78° 04' 31"
TOPO QUAD:	Kenbridge East		
COMMENTS:			

87

RECYC SYSTEMS, INC

FIELD DATA SHEET

Field Identification	Gross Acres	Environmentally Sensitive Soils				Hydro Map	Tax Map #	FSA Tract #
		Water Table	Bed Rock/Shallow	Surf/Leach	Freq Flood			
LUGJC 1	14.0	-	-	-	-	CU07	TM37(A),P40	T41 Fields 1,2,3,4,5
LUGJC 2	21.0	-	-	-	-	CU07	TM37(A),P29	T8 Field 5
LUGJC 3	12.9	-	-	-	-	CU07	TM37(A),P29	T8 Field 4
LUGJC 4	8.0	-	-	-	-	CU07	TM37(A),P29	T8 Fields 1,2,3
TOTAL ACRES IN SITE	55.9							

Virginia Cooperative Extension

Soil Test Report

Lunenburg County Office
11409 Courthouse Road
General Delivery
Lunenburg, VA 23952
null-696-5526

Virginia Tech Soil Testing Laboratory
145 Smyth Hall (0465)
Blacksburg, VA 24061
www.soiltest.vt.edu

SEE ENCLOSED NOTES:

1 2

O
W
N
E
R

COFFEE JR W J
2255 FLETCHER CHAPEL ROAD

KENBRIDGE, VA 23944

C F
O O
P R
Y

USDA-NRCS
250 LEGRANDE AVE SUITE C
CHARLOTTE COURT HOUSE, VA 23923

SAMPLE HISTORY

Sample ID	Field ID	LAST CROP		LAST LIME APPLICATION		SOIL INFORMATION				
		Name	Yield	Months Prev.	Tons/Acre	SMU-1 %	SMU-2 %	SMU-3 %	Yield Estimate	Productivity Group
41	41-1 LUGXC I	Soybeans (10)	40 BU	18+		1B2 100				IV

LAB TEST RESULTS (see Note 1)

Analysis	P (lb/A)	K (lb/A)	Ca (lb/A)	Mg (lb/A)	Zn (ppm)	Mn (ppm)	Cu (ppm)	Fe (ppm)	B (ppm)	S.Salts (ppm)
Result	23	106	1257	265	1.7	9.2	0.2	5.8	0.3	
Rating	M	M	M+	VH	SUFF	SUFF	SUFF	SUFF	SUFF	


Analysis	Soil pH	Buffer Index	Est.-CEC (meq/100g)	Acidity (%)	Base Sat. (%)	Ca Sat. (%)	Mg Sat. (%)	K Sat. (%)	Organic Matter (%)
Result	6.1	6.37	4.5	3.9	96.1	69.1	24.0	3.0	

FERTILIZER AND LIMESTONE RECOMMENDATIONS

Crop: Soybeans (10)

Lime, TONS/AC		Fertilizer, lb/A		
Amount	Type	N	P205	K20
.5	AG	0	60	60

990. We are trying to improve our service. PLEASE take a moment to complete our brief, anonymous customer survey at tinyurl.com/soiltestsurvey



Virginia Cooperative Extension

Soil Test Report

Lunenburg County Office
11409 Courthouse Road
General Delivery
Lunenburg, VA 23952
null-696-5526

Virginia Tech Soil Testing Laboratory
145 Smyth Hall (0465)
Blacksburg, VA 24061
www.soiltest.vt.edu

SEE ENCLOSED NOTES:

1 2

O
W
N
E
R

COFFEE JR W J
2255 FLETCHER CHAPEL ROAD
KENBRIDGE, VA 23944

C F
O O
P R
Y

USDA-NRCS
250 LEGRANDE AVE SUITE C
CHARLOTTE COURT HOUSE, VA 23923

SAMPLE HISTORY

Sample ID	Field ID	LAST CROP		LAST LIME APPLICATION		SOIL INFORMATION				
		Name	Yield	Months Prev.	Tons/Acre	SMU-1 %	SMU-2 %	SMU-3 %	Yield Estimate	Productivity Group
41	41-2	Soybeans (10)	40 BU	18+		1B2 100				IV

LAB TEST RESULTS (see Note 1)

Analysis	P (lb/A)	K (lb/A)	Ca (lb/A)	Mg (lb/A)	Zn (ppm)	Mn (ppm)	Cu (ppm)	Fe (ppm)	B (ppm)	Salts (ppm)
Result	17	94	1292	281	1.8	9.0	0.2	5.7	0.3	
Rating	M-	M-	M+	VH	SUFF	SUFF	SUFF	SUFF	SUFF	

Analysis	Soil pH	Buffer Index	Est.-CEC (meq/100g)	Acidity (%)	Base Sat. (%)	Ca Sat. (%)	Mg Sat. (%)	K Sat. (%)	Organic Matter (%)
Result	6.0	6.32	5.0	9.6	90.5	64.8	23.3	2.4	

FERTILIZER AND LIMESTONE RECOMMENDATIONS

Crop: Soybeans (10)

Lime, TONS/AC		Fertilizer, lb/A		
Amount	Type	N	P205	K20
.5	AG	0	80	80

990. We are trying to improve our service. PLEASE take a moment to complete our brief, anonymous customer survey at tinyurl.com/soiltestsurvey

The analytical methods used are from VCE Publication 452-881, *Laboratory Procedures - Virginia Tech Soil Testing Laboratory*.
pH determinations by BR on 04-19-12. Elemental analysis by BR on 04-19-12.

Virginia Cooperative Extension

Soil Test Report

Lunenburg County Office
11409 Courthouse Road
General Delivery
Lunenburg, VA 23952
null-696-5526

Virginia Tech Soil Testing Laboratory
145 Smyth Hall (0465)
Blacksburg, VA 24061
www.soiltest.vt.edu

SEE ENCLOSED NOTES:

1 2

O
W
N
E
R

COFFEE JR W J
2255 FLETCHER CHAPEL ROAD
KENBRIDGE, VA 23944

C
O
O
P
R
Y

USDA-NRCS
250 LEGRANDE AVE SUITE C
CHARLOTTE COURT HOUSE, VA 23923

SAMPLE HISTORY

Sample ID	Field ID	LAST CROP		LAST LIME APPLICATION		SOIL INFORMATION				
		Name	Yield	Months Prev.	Tons/Acre	SMU-1 %	SMU-2 %	SMU-3 %	Yield Estimate	Productivity Group
41	41-3 UG3C 1	Soybeans (10)	40 BU	18+		1B2 67	1C2 33			IV

LAB TEST RESULTS (see Note 1)

Analysis	P (lb/A)	K (lb/A)	Ca (lb/A)	Mg (lb/A)	Zn (ppm)	Mn (ppm)	Cu (ppm)	Fe (ppm)	B (ppm)	Salts (ppm)
Result	19	94	1355	287	2.2	9.2	0.2	5.8	0.4	
Rating	M-	M-	M+	VH	SUFF	SUFF	SUFF	SUFF	SUFF	

Analysis	Soil pH	Buffer Index	Est.-CEC (meq/100g)	Acidity (%)	Base Sat. (%)	Ca Sat. (%)	Mg Sat. (%)	K Sat. (%)	Organic Matter (%)
Result	6.0	6.30	5.3	11.3	88.7	64.1	22.4	2.3	

FERTILIZER AND LIMESTONE RECOMMENDATIONS

Crop: Soybeans (10)

Lime, TONS/AC		Fertilizer, lb/A		
Amount	Type	N	P205	K20
.75	AG	0	80	80

990. We are trying to improve our service. PLEASE take a moment to complete our brief, anonymous customer survey at tinyurl.com/soiltestsurvey

Virginia Cooperative Extension

Soil Test Report

Lunenburg County Office
11409 Courthouse Road
General Delivery
Lunenburg, VA 23952
null-696-5526

Virginia Tech Soil Testing Laboratory
145 Smyth Hall (0465)
Blacksburg, VA 24061
www.soiltest.vt.edu

SEE ENCLOSED NOTES:

1 2

OWNER

COFFEE JR W J
2255 FLETCHER CHAPEL ROAD
KENBRIDGE, VA 23944

C F
O O
P R
Y

USDA-NRCS
250 LEGRANDE AVE SUITE C
CHARLOTTE COURT HOUSE, VA 23923

SAMPLE HISTORY

Sample ID	Field ID	LAST CROP		LAST LIME APPLICATION		SOIL INFORMATION				
		Name	Yield	Months Prev.	Tons/Acre	SMU-1 %	SMU-2 %	SMU-3 %	Yield Estimate	Productivity Group
41	41-4 UGJC 1	Soybeans (10)	40 BU	18+		1B2 54	1C2 46			IV

LAB TEST RESULTS (see Note 1)

Analysis	P (lb/A)	K (lb/A)	Ca (lb/A)	Mg (lb/A)	Zn (ppm)	Mn (ppm)	Cu (ppm)	Fe (ppm)	B (ppm)	S.Salts (ppm)
Result	19	99	1330	289	1.8	9.6	0.2	5.6	0.3	
Rating	M-	M-	M+	VH	SUFF	SUFF	SUFF	SUFF	SUFF	

Analysis	Soil pH	Buffer Index	Est.-CEC (meq/100g)	Acidity (%)	Base Sat. (%)	Ca Sat. (%)	Mg Sat. (%)	K Sat. (%)	Organic Matter (%)
Result	6.1	6.33	5.1	8.2	91.8	65.7	23.6	2.5	

FERTILIZER AND LIMESTONE RECOMMENDATIONS

Crop: Soybeans (10)

Lime, TONS/AC		Fertilizer, lb/A		
Amount	Type	N	P2O5	K2O
.5	AG	0	80	80

990. We are trying to improve our service. PLEASE take a moment to complete our brief, anonymous customer survey at tinyurl.com/soiltestsurvey

Virginia Cooperative Extension

Soil Test Report

Lunenburg County Office
11409 Courthouse Road
General Delivery
Lunenburg, VA 23952
null-696-5526

Virginia Tech Soil Testing Laboratory
145 Smyth Hall (0465)
Blacksburg, VA 24061
www.soiltest.vt.edu

SEE ENCLOSED NOTES:

1 2 4

O
W
N
E
R

COFFEE JR W J
2255 FLETCHER CHAPEL ROAD
KENBRIDGE, VA 23944

C F
O O
P R
Y

USDA-NRCS
250 LEGRANDE AVE SUITE C
CHARLOTTE COURT HOUSE, VA 23923

SAMPLE HISTORY

Sample ID	Field ID	LAST CROP		LAST LIME APPLICATION		SOIL INFORMATION				
		Name	Yield	Months Prev.	Tons/Acre	SMU-1 %	SMU-2 %	SMU-3 %	Yield Estimate	Productivity Group
8	8-1 LUGJO 2	Soybeans (10)	40 BU	18+		14B2 100				IV

LAB TEST RESULTS (see Note 1)

Analysis	P (lb/A)	K (lb/A)	Ca (lb/A)	Mg (lb/A)	Zn (ppm)	Mn (ppm)	Cu (ppm)	Fe (ppm)	B (ppm)	Salts (ppm)
Result	11.8	7.1	41.4	75	1.7	3.1	0.3	14.8	0.2	
Rating	VH	L+	L	M-	SUFF	SUFF	SUFF	SUFF	SUFF	

Analysis	Soil pH	Buffer Index	Est-CEC (meq/100g)	Acidity (%)	Base Sat. (%)	Ca Sat. (%)	Mg Sat. (%)	K Sat. (%)	Organic Matter (%)
Result	5.44	6.440	1.55	4.0	96.0	69.2	20.7	6.1	

FERTILIZER AND LIMESTONE RECOMMENDATIONS

Crop: Soybeans (10)

Lime, TONS/AC		Fertilizer, lb/A		
Amount	Type	N	P205	K20
.5	AG	0	0	80

990. We are trying to improve our service. PLEASE take a moment to complete our brief, anonymous customer survey at tinyurl.com/soiltestsurvey

651. Molybdenum is needed. For rate of application, see Note 4 (enclosed).

Hudson Field

Virginia Cooperative Extension

Soil Test Report

Lunenburg County Office
11409 Courthouse Road
General Delivery
Lunenburg, VA 23952
null-696-5526

Virginia Tech Soil Testing Laboratory
145 Smyth Hall (0465)
Blacksburg, VA 24061
www.soiltest.vt.edu

SEE ENCLOSED NOTES:

1 2 4

O
W
N
E
R

COFFEE JR W J
2255 FLETCHER CHAPEL ROAD
KENBRIDGE, VA 23944

C
O
O
P
R
Y

USDA-NRCS
250 LEGRANDE AVE SUITE C
CHARLOTTE COURT HOUSE, VA 23923

SAMPLE HISTORY

Sample ID	Field ID	LAST CROP		LAST LIME APPLICATION		SOIL INFORMATION				
		Name	Yield	Months Prev.	Tons/Acre	SMU-1 %	SMU-2 %	SMU-3 %	Yield Estimate	Productivity Group
8	8-2 LOGSC 4	Soybeans (10)	40 BU	18+		1C2 56	14B2 44			IV

LAB TEST RESULTS (see Note 1)

Analysis	P (lb/A)	K (lb/A)	Ca (lb/A)	Mg (lb/A)	Zn (ppm)	Mn (ppm)	Cu (ppm)	Fe (ppm)	B (ppm)	S.Salts (ppm)
Result	120	58	398	65	1.4	2.8	0.3	15.5	0.1	
Rating	VH	L+	L	L+	SUFF	SUFF	SUFF	SUFF	SUFF	

Analysis	Soil pH	Buffer Index	Est.-CEC (meq/100g)	Acidity (%)	Base Sat. (%)	Ca Sat. (%)	Mg Sat. (%)	K Sat. (%)	Organic Matter (%)
Result	5.2	6.34	1.7	21.1	78.9	58.7	15.8	4.4	

FERTILIZER AND LIMESTONE RECOMMENDATIONS

Crop: Soybeans (10)

Lime, TONS/AC		Fertilizer, lb/A		
Amount	Type	N	P205	K20
.5	AG	0	0	80

990. We are trying to improve our service. PLEASE take a moment to complete our brief, anonymous customer survey at tinyurl.com/soiltestsurvey

646. Molybdenum is needed. For rates of application, see Note 4 (enclosed). Manganese may also be needed; apply if deficiency symptoms occur.

The analytical methods used are from VCE Publication 452-881, *Laboratory Procedures - Virginia Tech Soil Testing Laboratory*. H determinations by BR on 04-19-12. Elemental analysis by BR on 04-19-12.

Virginia Cooperative Extension

Soil Test Report

Lunenburg County Office
11409 Courthouse Road
General Delivery
Lunenburg, VA 23952
null-696-5526

Virginia Tech Soil Testing Laboratory
145 Smyth Hall (0465)
Blacksburg, VA 24061
www.soiltest.vt.edu

SEE ENCLOSED NOTES:

1 2 4

O
W
N
E
R

COFFEE JR W J
2255 FLETCHER CHAPEL ROAD
KENBRIDGE, VA 23944

C F
O O
P R
Y

USDA-NRCS
250 LEGRANDE AVE SUITE C
CHARLOTTE COURT HOUSE, VA 23923

SAMPLE HISTORY

Sample ID	Field ID	LAST CROP		LAST LIME APPLICATION		SOIL INFORMATION				
		Name	Yield	Months Prev.	Tons/Acre	SMU-1 %	SMU-2 %	SMU-3 %	Yield Estimate	Productivity Group
8	8-3 <i>LUGJC 4</i>	Soybeans (10)	40 BU	18+		1C2 53	1B2 47			IV

LAB TEST RESULTS (see Note 1)

Analysis	P (lb/A)	K (lb/A)	Ca (lb/A)	Mg (lb/A)	Zn (ppm)	Mn (ppm)	Cu (ppm)	Fe (ppm)	B (ppm)	S.Salts (ppm)
Result	78	72	504	98	4.0	7.2	0.3	26.3	0.1	
Rating	H	L+	L+	M	SUFF	SUFF	SUFF	SUFF	SUFF	

Analysis	Soil pH	Buffer Index	Est.-CEC (meq/100g)	Acidity (%)	Base Sat. (%)	Ca Sat. (%)	Mg Sat. (%)	K Sat. (%)	Organic Matter (%)
Result	5.4	6.35	2.1	14.5	85.5	61.3	19.7	4.5	

FERTILIZER AND LIMESTONE RECOMMENDATIONS

Crop: Soybeans (10)

Lime, TONS/AC		Fertilizer, lb/A		
Amount	Type	N	P205	K20
.5	AG	0	30	80

990. We are trying to improve our service. PLEASE take a moment to complete our brief, anonymous customer survey at tinyurl.com/soiltestsurvey

651. Molybdenum is needed. For rate of application, see Note 4 (enclosed).

Virginia Cooperative Extension

Soil Test Report

Lunenburg County Office
11409 Courthouse Road
General Delivery
Lunenburg, VA 23952
null-696-5526

Virginia Tech Soil Testing Laboratory
145 Smyth Hall (0465)
Blacksburg, VA 24061
www.soiltest.vt.edu

SEE ENCLOSED NOTES:

1 2 4

O
W
N
E
R

COFFEE JR W J
2255 FLETCHER CHAPEL ROAD
KENBRIDGE, VA 23944

C
O
O
P
R
Y

USDA-NRCS
250 LEGRANDE AVE SUITE C
CHARLOTTE COURT HOUSE, VA 23923

SAMPLE HISTORY

Sample ID	Field ID	LAST CROP		LAST LIME APPLICATION		SOIL INFORMATION				
		Name	Yield	Months Prev.	Tons/Acre	SMU-1 %	SMU-2 %	SMU-3 %	Yield Estimate	Productivity Group
8	8-4 <i>LOGJC 3</i>	Soybeans (10)	40 BU	18+		1C2 70	1B2 30			IV

LAB TEST RESULTS (see Note 1)

Analysis	P (lb/A)	K (lb/A)	Ca (lb/A)	Mg (lb/A)	Zn (ppm)	Mn (ppm)	Cu (ppm)	Fe (ppm)	B (ppm)	S.Salts (ppm)
Result	78	73	500	102	1.5	5.5	0.3	26.6	0.1	
Rating	H	L+	L+	M	SUFF	SUFF	SUFF	SUFF	SUFF	

Analysis	Soil pH	Buffer Index	Est.-CEC (meq/100g)	Acidity (%)	Base Sat. (%)	Ca Sat. (%)	Mg Sat. (%)	K Sat. (%)	Organic Matter (%)
Result	5.5	6.34	2.1	16.8	83.2	58.9	19.8	4.4	

FERTILIZER AND LIMESTONE RECOMMENDATIONS

Crop: Soybeans (10)

Lime, TONS/AC		Fertilizer, lb/A		
Amount	Type	N	P205	K20
.5	AG	0	30	80

990. We are trying to improve our service. PLEASE take a moment to complete our brief, anonymous customer survey at tinyurl.com/soiltestsurvey

651. Molybdenum is needed. For rate of application, see Note 4 (enclosed).

Virginia Cooperative Extension

Soil Test Report

Lunenburg County Office
11409 Courthouse Road
General Delivery
Lunenburg, VA 23952
null-696-5526

Virginia Tech Soil Testing Laboratory
145 Smyth Hall (0465)
Blacksburg, VA 24061
www.soiltest.vt.edu

SEE ENCLOSED NOTES:

1 2 4

OWNER

COFFEE JR W J
2255 FLETCHER CHAPEL ROAD
KENBRIDGE, VA 23944

C F
O O
P R
Y

USDA-NRCS
250 LEGRANDE AVE SUITE C
CHARLOTTE COURT HOUSE, VA 23923

SAMPLE HISTORY

Sample ID	Field ID	LAST CROP		LAST LIME APPLICATION		SOIL INFORMATION				
		Name	Yield	Months Prev.	Tons/Acre	SMU-1 %	SMU-2 %	SMU-3 %	Yield Estimate	Productivity Group
8	8-5 <i>LUGJC 2</i>	Soybeans (10)	40 BU	18+		1B2 90	1C2 10			IV

LAB TEST RESULTS (see Note 1)

Analysis	P (lb/A)	K (lb/A)	Ca (lb/A)	Mg (lb/A)	Zn (ppm)	Mn (ppm)	Cu (ppm)	Fe (ppm)	B (ppm)	S.Salts (ppm)
Result	83	65	492	95	1.4	5.3	0.3	28.0	0.1	
Rating	H	L+	L+	M-	SUFF	SUFF	SUFF	SUFF	SUFF	

Analysis	Soil pH	Buffer Index	Est.-CEC (meq/100g)	Acidity (%)	Base Sat. (%)	Ca Sat. (%)	Mg Sat. (%)	K Sat. (%)	Organic Matter (%)
Result	5.3	6.36	1.9	12.3	87.7	63.3	20.2	4.3	

FERTILIZER AND LIMESTONE RECOMMENDATIONS

Crop: Soybeans (10)

Lime, TONS/AC		Fertilizer, lb/A		
Amount	Type	N	P205	K20
.5	AG	0	30	80


990. We are trying to improve our service. PLEASE take a moment to complete our brief, anonymous customer survey at tinyurl.com/soiltestsurvey

651. Molybdenum is needed. For rate of application, see Note 4 (enclosed).

MAPS

Recyc SystemsTM Inc.

(Biosolids Land Application)



Scale: 1 inch = 2 miles


LUGJC 1-4

VICINITY MAP



Recyc SystemsTM Inc.

(Biosolids Land Application)



Scale: 1 inch = 1 mile


LUGJC 1-4

VICINITY MAP



Recyc SystemsTM Inc.

(Biosolids Land Application)



Scale: 1 inch = 660 feet


LUGJC 1

TAX MAP



Recyc SystemsTM Inc.

(Biosolids Land Application)



Scale:

1 inch = 660 feet

LUGJC 2-4

TAX MAP




ADJOINING LANDOWNERS

Gill J. Coffee

LUNENBURG COUNTY

Tax Map	Parcel #	Owner Name(s)
37(4)	1A	James DDA Wilson
	1B	Carolyn H. Arthur
	1C	Roscoe R. Davis
	1D	Ashton Phillips
	1E	Gordon & Jean Turfner
	1F	Jereline SS& Jennie Clarke, Katie Wells
	2A	Gordon & Jean Turfner
	3	Jereline SS& Jennie Clarke, Katie Wells
	24	Jereline SS& Jennie Clarke, Katie Wells
	25	Jereline SS& Jennie Clarke, Katie Wells
	27	Vivian Sue Gill Williams
	28	ISS. Cole
	29A	Hannah C. Gorman or Kathy G. Coffee
	29B	William J. or Grant A. Coffee
	30	Tim Tucker
	38	Marvin & Alan Bagley
	39	Richard & Carolyn Hite
	39A	Stephen Hite
	41	Gussie Abernathy
	42	Ann Gordon
	52	Richard & Carolyn Hite
	58	Richard & Carolyn Hite
	59	Richard & Carolyn Hite




SOIL MAP



Inc.

(Biosolids Land Application)



Scale: 1 inch = 660 feet

LUGJC 1-4

AERIAL MAP




Legend for Site Plan



House and Well



Well / Spring



Perennial Streams & Surface



Wet Spot



Intermittent Stream / Drainage



Trees and Woods



Private Drive



Rock / Rocky Area



Sinkhole



Severely Eroded Spot



State Road



Field Boundary / Fence



Property Line




Slope



Frequent Flooding

Recyc SystemsTM Inc.

(Biosolids Land Application)



Scale: 1 inch = 660 feet


LUGJC 1-4

SITE PLAN



Recyc SystemsTM Inc.

(Biosolids Land Application)



Scale: 1" = 2000 ft.

LUGJC 1-4

TOPOGRAPHIC MAP

